DATE: 28 Sep 00

STATEMENT OF WORK FOR THE REPAIR OF THE IFF INTERROGATOR, AN/PPX-3A 5895-01-032-4263 IFF INTERROGATOR, AN/PPX-3B 5895-01-126-9263

Control Number: SOW-03-844-2-07922B-2/1

- 1. This SOW identifies the work effort that shall be performed by the contractor to repair the IFF Interrogator's, NSN 5895-01-032-4263 and 5895-01-126-9263.
- The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E. HERNDON
Weapons System Manager
Radar Systems Section (Code 844-2)
MARCORLOGBASES, Albany, GA

RICHARD E. JONES
Team Leader
Equipment Specialist
(Code 844-2)
MARCORLOGBASES, Albany, GA

CYNTHIA A. POOLE Team Leader Inventory Manager (Code 844-2) MARCORLOGBASES, Albany, GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>		<u>Page</u>
1.0	Scope		1
1.1	Background		1
2.0	Applicable Documents	1	
2.1	Military Specifications	1	
2.2	Military Standards		1
2.3	Other Government Documents and Publications		1
2.4	Industry Standards		2
3.0	Requirements		2 2 2 2 3 3 3
3.1	General Tasks		2
3.2	Detailed Tasks		2
3.2.1	Phase I – Pre-Induction		3
3.2.2	Phase II – Repair		3
3.2.3	Phase III – Inspection, Testing and Acceptance		
3.2.4	Phase IV – Packaging, Handling, Storage, and Transportation (PHS&	ζT)	4
3.3	Configuration Control		4
3.4	Government Furnished Equipment (GFE)/Government Furnished		
	Material (GFM)		4
3.5	Contractor Furnished Material (CFM)	4	
3.6	Electrostatic Discharge (ESD) Control Program		4
3.7	Quality Assurance Provisions		5 5 5 5
3.8	Acceptance		5
3.9	Rejection		5
4.0	Reports		
5.0	Cost and Financial Administration		6
Appendixes			
A	Standard Form 364		A-1
В	Report DA-2404		B-1

STATEMENT OF WORK FOR THE
REPAIR
OF THE
IFF INTERROGATOR, AN/PPX-3A
5895-01-032-4263
IFF INTERROGATOR, AN/PPX-3B
5895-01-126-9263

- 1.0 <u>Scope</u>: This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that the Contractor will perform to repair the Stinger IFF Interrogator, AN/PPX-3A & 3B. This document contains requirements to restore the item to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. Repair is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>: The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Specifications

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing Ultra

Thin Film

2.2 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-130 DoD Standard Practice for Identification Marking of U.S.

Military Property

2.3 <u>Other Government Documents and Publications</u>. The latest issue of those documents cited below shall be used.

TM 11-5895-1194-24 Interrogator Set, IFF (Stinger) SPI AG00000366 Special Packaging Instruction (SPI)

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel From the

Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.4 Industry Standards

JESD625-A Requirements for Handling-Electrostatic-Discharge

Sensitive (ESDS) Devices

ANSI/ISO/ASQC Quality Systems - Model for Quality Assurance in

Q9003-1994 Final Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn: (Code 851-3), 814 Radford Blvd, Suite 20320, Albany GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 <u>General Tasks</u>. In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts necessary to inspect, diagnose, restore, test, and calibrate the IFF Interrogator. Upon completion of repair, the subject item shall be Condition Code "A".
- 3.2 <u>Detail Tasks</u>. The following tasks describe the different phases for repair of the IFF Interrogator.

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling Storage and Transportation (PHS&T)

3.2.1 <u>Phase I - Pre-Induction</u>. A pre-induction inspection analysis shall be performed for each IFF Interrogator within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign CC "F", otherwise assign CC "M" and induct into repair cycle. Standard Form 364 (Appendix A) and Report DA-2404 (Appendix B) shall be used to

report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.

3.2.2 <u>Phase II - Repair</u>. After pre-induction tests and inspections have been completed, repair of the IFF Interrogator shall be accomplished in accordance with this SOW. Deficiencies noted on Appendix A and Appendix B during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u>: The Contractor shall use the following technical documentation to restore the IFF Interrogator to Condition Code "A".

MIL-C-81309	Corrosion Preventive Compounds, Water
	Displacing, Ultra Thin Film
MIL-STD-130	DoD Standard Practice for Identification Marking
	of U.S. Military Property
TM 11-5895-1194-24	Interrogator Set, IFF (Stinger)

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, Testing, and Acceptance of each IFF Interrogator shall be conducted in accordance with the documents and TM listed in section 3.2.2b.
- b. The Contractor shall be responsible for conducting all required tests on the IFF Interrogator.
- c. The Contractor shall be responsible for correcting deficiencies identified during inspection/ testing. MCLB (Code 844-2), Albany, Georgia, representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

a. The Contractor shall be responsible for packaging and preservation of the items being repaired under the terms of this statement of work. All items to be shipped shall be in accordance with the level "A" requirements of Special Packaging Instruction AG00000366. The SPI may be

obtained from Materiel Management Division, Attn: Logistics Support Section (822-1), Suite 20320, 814 Radford Boulevard, Albany, GA 31704-0320, Commercial telephone (229) 639-6786 or DSN 567-6786.

- b. Marking for all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control.</u> The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>: The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>: The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Quality Assurance Provisions</u>: The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and

preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government, MCLBA (Code 844-2), reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- 3.8 Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and QA representatives shall be permitted to observe the work or to conduct inspections at all reasonable hours. Final inspection and acceptance testing shall be conducted at the Contractor's facility. Final acceptance shall be conducted on 100% of items to verify that the units meet all requirements.
- 3.9 <u>Rejection</u>: Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the QA representative. The Contractor shall, at no additional cost provide the following:
 - a. Develop a corrective action plan to correct deficiencies.
- b. Upon approval of a corrective action plan, the Contractor shall correct the deficiencies and repeat the verification until all requirements are met.
- 4.0 <u>Reports</u>: The Contractor shall provide Monthly Progress Reports (MPR) summarizing the progress and status of the repair program. This report shall include name and phone number for the Contractor point of contact. This report shall be submitted no later than the tenth of the following month to the Weapon System Management (WSM) team at the following e-mail address: mbmatcom844-2@matcom.usmc.mil.
- a. MPR will reflect, by serial number (S/N), the phase of repair and condition code (CC) of all Marine Corps IFF Interrogators held by the Contractor.
 - b. Assets inducted into maintenance, will be identified as CC "M".
 - c. Assets that have completed final inspection will be identified as CC "A".
- d. Assets that have completed final testing but require additional parts or components prior to issue, will be identified as CC "G".
 - e. Assets awaiting induction into maintenance will be identified as CC "F".

5.0 Cost and Financial Administration.

a. Upon completion of negotiations, the agreed upon price will be cost reimbursable. The price for any work to be performed for the next fiscal year will be developed by the repairer, and will be submitted to MCLB Albany (Code 844-2), in sufficient time to allow for processing of agreed upon financial documentation, prior to the beginning of the fiscal year.

b. The financial management representatives of the two activities shall determine the specific procedures that will be used to transfer funds under this SOW. A Project Order, Form 1175 will be used for transfer of funds between the parties to this SOW. The Contractor will accept Marine Corps funding as cost reimbursable. Final obligation must be received no later than one (1) week before the end of the fiscal year. This agreement will go into effect as soon as funds are transferred to the Contractor.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735-11.2/NAVSUPINST 4440.127E/AFR 400-54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies. and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67-7/MCO 4140.1B, Processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19(2)(a).

REPORT OF DISCREPANCY (ROD)		1. DATE OF PREPARATION 2. REPORT NUMBER										
SHIPPING	PACKAGING											
3. TO (Name and address, include ZIP Code)					4. FROM (Name and address, include ZIP Code)							
5a. SHIPPER'S NAME					5b. NUMBER AND DATE OF INVOICE 6. TRANSPORTATION DOCUMENT NUMBER (GBL., Waybill, TCN, etc.)							
7a. SHIPPER'S NUMBER (Purchase Order/Shipment, Contract, etc.)	8. REQUISITIONER'S NUMBER (Requisition, Purchase Request, etc.)											
9. SHIPN	IENT, BILLING, AND	RECEIPT (ATA	10. DISCREPANCY DATA						11.		
NSN/PART NUMBER AN NOMENCLATURE)	UNIT OF ISSUE	QUANT SHIPPI BILLE	ED/	QUANTITY RECEIVED	QUAN- TITY	UNIT PRICE	TOTAL COST	CODE	AC- ² TION		
(a)		(b)	(c)		(d)	(a)	(b)	(c)	(d)	CODE		
12. REMARKS (Continue on separate sheet of	paper if necessary)											
12. NEWIARKS (Continue on separate sneet of	paper ij necessary)											

	EPANCY CODES	2 ACTION CODES
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, improper or without authority (Only when receipt cannot be properly processed) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt document O2 - Quantity in excess of that requested (Other than unit of issue pack) O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper preservation P3 - Improper marking P4 - Improper unitization 13. FUNDING AND ACCOUNTING DATA	PRODUCT QUALITY DEFICIENCIES Q1 - Deficient material (Applicable to Grant Aid and FMS shipments) SHORTAGE OF MATERIAL S1 - Quantity less than that on receipt document S2 - Quantity less than that requested (Other than unit of issue pack) S3 - Non-receipt of parcel post shipments ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log Books, Operating Handbooks, Special Instructions, etc.) T1 - Missing T2 - Illegible or mutilated T3 - Precautionary operational markings missing T4 - Inspection data missing or incomplete T5 - Serviceability operating data missing or incomplete T6 - Warranty data missing WRONG ITEM (Identify requested item as a separate copy in Item 9 above) W1 - Incorrect item received W2 - Unacceptable substitute OTHER DISCREPANCIES Z1 - See remarks	 1A - Disposition instructions requested (Reply on reverse) 1B - Material being retained (See remarks) 1C - Supporting supply documentation requested 1D - Material still required expedite shipment (Not applicable to FMS) 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days (Reply on reverse) (Not applicable to FMS) 1F - Replacement shipment requested (Not applicable to FMS) 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only. 1Z - Other action requested (See remarks)
15. DISTRIBUTION ADDRESSEES FOR COPIES		

364-103

7540-00-159-4442

(Previous edition is obsolete.)

STANDARD FORM 364 (REV. 2-80) (EG) Prescribed by GSA FPMR 101-26.8

TO. FROM:		17.	DISTRIBUTION A	DDRESSEES FOR CO	?IES
18. TO:		1			
•			•	this docur address, starting of the left d must NO dot. Add	ow envelope to mail ment. Insert name and including ZIP Code, ne typing space below ot. Each address line restend beyond right ess must not exceed space typing lines.
19. IN ACCORDANCE	E WITH NOTICE OF	DISC	REPANCY ON	FACE OF THIS FOR	RM:
→ a. MATERIAL old HAS WILL SHIPPED BEEN SHIPPED	UMBER	b.	NO RECORD	OF SHIPMENT. RES	UBMIT REPORT TO
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL CREDIT BE PROCESSED AS A:	DEBIT	d.	INVOICE/BIL ATTACHED	└ e. Ship	OF OF DELIVERY (Parcel Post ments) OR EVIDENCE OF MENT ENCLOSED.
f. AN ADJUSTMENT IN BILLING FOR THE REPORTE INDICATED REGULATION.	D DISCREPANCY WILL	_ NOT	BE PROCESSED	FOR THE FOLLOWING	3 REASON WHICH IS CITED IN THE
(1) REASON FOR NOT PROCESSING)	(2)		PRESCRIBING	REGULATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE ALLOWED AND/OR	E TIME FRAMES		DEFICIENCIE	OF THE GSA HANDB S IN GSA OR DOD SI MR 101-26.8)	OOK, DISCREPANCIES OR HIPMENTS, MATERIAL, OR
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA THE REGULATION OR AGREEMENT INDICATED IN			BILLING SYS		D.25-7-M, MILITARY STANDARD D/OR DD 1513, U.S. DOD OFFER BLE.
20. THE FOLLOWING D	DISPOSITION IS TO	BE M	ADE OF THE R	EFERENCED MATE	RIAL:
a. PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENT CONCERNIT	TATIV NG DI	E WILL CALL FOF SPOSITION IN:	DISCUSSION	DAYS
c. RETAIN MATERIAL AT NO CHARGE.	d. MATERIAL	WILL	BE PICKED UP IN	:	DAYS
e. SHIP MATERIAL (Specify location): (1) GBL APPROPRIATION CHARGEABLE: (2) CHARGES COLLECT - VIA: FREIG (3) PARCEL POST LABEL ATTACHED	HT EXPRESS (4) FREIGHT		PARCEL POS	NOTE: Please	postage advanced herewith. enclose postage. Material ned Parcel Post collect.)
f. OTHER (Specify)					
21. IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION			VITH SATISFACT ON OR BEFORE:	ORY MATERIAL	DATE
23. REMARKS (Continue on separate sheet of paper if necessary) 24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF					24c. DATE
PREPARING OFFICIAL					

	For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG										
1. ORGANIZ	ATION ATION/SERIA	1 (NICNI	4a. MILES	4b. HOURS	4c. ROUN		CLATURE and M	ODEL 5. DATE	 -	/ TWING	NEDUCTION
2. REGISTR	ATION/SEKIA	IL/NSIN	4a. MILES	46. HOURS	FIRE		STARTS	5. DATE		6. TYPE I	NSPECTION
7					BLE REFERI						
TM NUMBE	R		T	M DATE		TM NUN	1BER			TM DATE	
COLUM	IN a - Enter	r TM number.						v corrective actio	n for defi	ciency o	r shortcoming
COLUM	IN b - Ente	r applicable cond	dition status Sym	ibol,			Column c.				
COLUM	IN c - Enter	r deficiencies and	d shortcomings.			in this	column.	idual ascertainin	g complet	ted corre	ctive action initial
					TATUS S						
inoperative CIRCLE operated up	status. D "X" - Ind nder specifi	licated a deficient	ncy, however, the	e equipment ma	ay be as	which complet LAST	must be corre ely ser NAME INITI		efficiency BLACK-E	or to m	an a deficiency ake the item
prescribed	locally, unt	il the corrective	action can be acc	complished.		Indicate	s that a satisfa	ctory condition e	exists.		
component	replaceme been accor ied.	nt, maintenance mplished, or an o	ites that a require operation check, overdue MWO ha	or test flight is as not been				Status symbols w			
			AND EQUIPMICE WITH DIAG								ED
8a. SIGNAT) performing inspectio		8b. TIME			laintenance Superv		9b. TIME		10 MANHOURS REQUIRED
TM ITEM NO. a.	STATUS b.	DEFI	ICIENCIES AND SHO	ORTCOMINGS	•		СОБ	RECTIVE ACTION			INITIAL WHEN CORRECTED e.
					· .						
							· · · · · · · · · · · · · · · · · · ·				
		. <u>-</u>									
						<u> </u>					
						ļ					
						ļ					
	-		 -								
I .		1									

DA FORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suita 1204, Arington, VA 22202-4302. Responsions should be sware that notwrithstanding any other provision of law, no person shall be subject to any prevaity for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Ested in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:						OTHER X				
D. SYSTEM/ITEM IFF Interro	gator, AN/PPX-3	A/3B	E. CONTRACT/PR		F. CONTRA		<u> </u>			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE			-		17, PRICE GROU
A001	Б	~i~ ~~i~ ~	Chamas Duan	1		Configuration Ma				
AUU1 4. AUTHORITY (Data Acquis	1	gmeermg	Change Prop			Configuration Mai	nageme	======================================		18, ESTIMATED
-	CMAN-80639C		5. COM INACI NEFEREN	SOW 3.3		MCLB/	A (851))		TOTAL PRICE
7. DO 250 REQ	9. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISSI	ON	14. DISTRIBUTION				
LT	REQUIRED	A A	ASREQ	See Blk 1	6		I	b. COPIES		
8. APP CODE	A	11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft Final			
16. REMARKS				<u> </u>		MCLBA (851-2)	0	Reg	Repro	
Blk 4 - Contra	ctor format using	.doc or .	pdf software a	applications is aut	horized.	MCLBH (651-2)	<u> </u>			
	- ECPs shall be suffect the baseline		_							
ECPs will be receipt by the	eviewed and dispe Government.	osition de	etermined with	iin 30 calendar da	ys upon					
ECPs shall be	transmitted via e- figmngmnt@matc	mail to th	ne following a	ddress:			 			
momutomom	g.iii.g.iiii.@.iiii.e	, OIII. G 5111	,.nm							
Distribution St	atement A: Appro	oved for	public release,	distribution is un	limited.		ļ			
							-			
						<u></u>	<u> </u>			
							<u> </u>			
							ļ			
							 			
							<u> </u>			
							<u> </u>			
							ļ			
										l .
							-			ı!
		1				15. TOTAL	0	1	0	
G. PREPARED BY	1/1		H. DATE	I. APPROVED B	v ำ⊿	101	J. DAT	///	100	
DR FORM 1422	1, AUG 96 (E 6)		1/2/10	EVIOUS EDITION MAY BE	IISED V	£~11-	Pos-	10/	U 0	, I
1423.	I, AUU 30 (EB)		/ / PK	CAIDOS EDITIÓN MAT RE	USED.	Designed	Page	of	Pages	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any possity for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	<u> </u>	C. CATEGORY: TDPTMOTHERX						
D. SYSTEM/ITEM	gator, AN/PPX-3	A/3B	E. CONTRACT/PR		F. CONTRA					
1. DAYA ITEM NO.	2. TITLE OF DATA ITEM	4 21			3. SUBTITLE	<u> </u>				17. PRICE GR
A002		Request	For Deviation	1		Configuration Ma				
4. AUTHORITY (Data Acquis DI-C	ition Document No.) CMAN-80640C		5. CONTRACT REFEREN	SOW 3.3		6. REQUIRING OFFICE MCLB	A (851)	1		18. ESTIMAT TOTAL PI
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENC	ASREQ	12. DATE OF FIRST SUBMISSI See Blk 1		14. DISTRIBUTION				İ
8. APP CODE	-	11. AS OF DA		13. DATE OF SUBSEQUENT SUBMISSION	<u> </u>	a. Addressee	Draft	b. COPIES Final		
18. REMARKS	A 6	don 05	_16 _ 6]	h a wiss ad	MCLBA (851-2)	0	Reg 1	Repro O	
Blks 10 & 12 nonconforming documentation	ctor format using RFDs shall be st g material which of reviewed and disp Government.	ibmitted loes not i	to obtain authomeet prescribe	orization to delive ed configuration	r					
mbmatcomcon	transmitted via e- figmngmnt@matc	om.usmo	c.mil							: :
Distribution St	atement A: Appr	oved for	public release	e, distribution is u	nlimited		-			
										·
										•
							-			
										÷
										į
							<u> </u>			
G. PREPARED BY	1 177	11	H. DATE	I. APPROVED B	Y	15. TOTAL	J. DATE	1	0	
dama	C/1/w		9/26	00	5	le_/	10!	16	100	
об FORM 1423-	1, AUG 96\(EG)		PF	REVIOUS EDITION MAY BE	USED.	Designed	Page	of Pro, WHS/I	Pages DIOR, Aug 96	